

<input type="checkbox"/> Order	<input type="checkbox"/> Quote	Reference :	Date :
--------------------------------	--------------------------------	-------------	--------

Bill to : 	Ship to : Name : Address : City : Zip code : Phone : Contact name (for delivery appointment) : _____ Contact phone (for delivery appointment) : _____
--------------------------	---


Transport <input type="checkbox"/> No <input type="checkbox"/> Yes (please complete below delivery instructions)			
<input type="checkbox"/> 38 Tons*	<input type="checkbox"/> Small truck*	<input type="checkbox"/> Forklift	<input type="checkbox"/> Pick up







* Unloading not included. Unloading to be planned by your care.

Roller model	
<input type="checkbox"/> Narbonne Eco II	<input type="checkbox"/> Narbonne Eco solar II

Structure color	
<input type="checkbox"/> White	<input type="checkbox"/> Sand

Casing color			
<input type="checkbox"/> White PVC	<input type="checkbox"/> Sand PVC	<input type="checkbox"/> Exotic wood	<input type="checkbox"/> Wood color PV

Electrical arrival (please check below the motor side)	
<input type="checkbox"/> Gauche	<input type="checkbox"/> Droite
	

Safety system	
<input type="checkbox"/> Stainless safety system to be fixed on wall (water height of 7 cm min)	<input type="checkbox"/> Stainless safety system to be fixed under coping stones (water height between 7cm and 16cm)
	
<input type="checkbox"/> Loop safety system to be fixed on wall (water height of 7 cm min)	<input type="checkbox"/> Loop safety system to be fixed under coping stones (water height between 9 cm and 16 cm)
	
<input type="checkbox"/> ABS brackets to be fixed on wall	<input type="checkbox"/> ABS brackets to be fixed under coping stones
	
<input type="checkbox"/> Without bracket (The cover won't be conform to french norms)	

Customer stamp :	Good for agreement :
------------------	----------------------


<input type="checkbox"/> Order	<input type="checkbox"/> Quote	Reference :	Date :
--------------------------------	--------------------------------	-------------	--------

Slats color

- | | | |
|---|---------------------------------|--|
| <input type="checkbox"/> White | <input type="checkbox"/> Bleues | <input type="checkbox"/> Polycarbonate solar blue |
| <input type="checkbox"/> Grey | <input type="checkbox"/> Sables | <input type="checkbox"/> Polycarbonate transparent blue (until end of stock) |
| <input type="checkbox"/> Polycarbonate grey | | |

Distance between feet


The standard distance between the inside foot of the roller and the edge of the pool is of 14 cm.
If you need another distance (non-standard), please note below the wished distance between feet.



Distance between feet = m

Dimensions of the pool




The dimensions have to be given in meter at water level



The widths have to be taken each meter at water level, starting from the roller (in m):

at 1 m from width R1-R2	
at 2 m from width R1-R2	
at 3 m from width R1-R2	
at 4 m from width R1-R2	
at 5 m from width R1-R2	
at 6 m from width R1-R2	
at 7 m from width R1-R2	
at 8 m from width R1-R2	
at 9 m from width R1-R2	
at 10 m from width R1-R2	
at 11 m from width R1-R2	
at 12 m from width R1-R2	
at 13 m from width R1-R2	
at 14 m from width R1-R2	
at 15 m from width R1-R2	
at 16 m from width R1-R2	
at 17 m from width R1-R2	
at 18 m from width R1-R2	
at 19 m from width R1-R2	
at 20 m from width R1-R2	


The angles

	Square	Round (cm)	Cut (cm)		
Angles					
		R	X	Y	Z
R1	<input type="checkbox"/>				
R2	<input type="checkbox"/>				
R3	<input type="checkbox"/>				
R4	<input type="checkbox"/>				

<input type="checkbox"/> Order	<input type="checkbox"/> Quote	Reference :	Date :
--------------------------------	--------------------------------	-------------	--------

Position of the skimmers


- 1) Type of skimmer : Vertical to the wall Protruding of cm
- 2) Check on below drawing the position of the skimmers on the pool
- 3) If the skimmers are on the width, please mention dimensions S1, S4 or S9, S6
- No skimmer (please mention filtration system and provide a drawing)



Overflow No Yes (provide its position below)

- All around the pool On the length On the width
- Please provide a drawing with the dimensions of the overflow (The cover won't be conform to french norms)

Cut for stairs and/or angles No Yes (please mention type of cut below)




<input type="checkbox"/> Order	<input type="checkbox"/> Quote	Reference :	Date :
--------------------------------	--------------------------------	-------------	--------

Stairs




Roman stairs (constant radius)



The dimensions (measured at water level).



The angles


	Square	Round (cm)	Cut (cm)		
					
Angles		R	X	Y	Z
R5	<input type="checkbox"/>				
R6	<input type="checkbox"/>				

Warning : if the stairs are not circle or not constant, please provide a template.




Straight stairs



The dimensions (measured at water level).




The angles

	Square	Round (cm)	Cut (cm)		
					
Angles		R	X	Y	Z
R5	<input type="checkbox"/>				
R6	<input type="checkbox"/>				
R7	<input type="checkbox"/>				
R8	<input type="checkbox"/>				




Trapezoid stairs



The dimensions (measured at water level).



The angles

	Square	Round (cm)	Cut (cm)		
					
Angles		R	X	Y	Z
R5	<input type="checkbox"/>				
R6	<input type="checkbox"/>				
R7	<input type="checkbox"/>				
R8	<input type="checkbox"/>				

Note : If the stairs are not placed as shown above, please provide a drawing with the position of the roller.