

Producto: **Prefiltro 33l.**

Product: **Prefilter 33l.**



- . Construidos en poliéster y fibra de vidrio con tapa del mismo material.
- . Cierre de tipo zuncho con una junta tórica.
- . Cesto con capacidad de 33 lts. del acero inoxidable.
- . Tapón vaciado en la parte inferior del cuerpo
- . Bocas de conexión a 180° y al mismo nivel del suelo, la entrada y salida con bridas según norma DIN (DN80-3", DN100-4", DN110, DN125).
- . Presión máxima de trabajo 1,5 Kg/cm²

- . Body and lid are made from polyester and fibre glass.
- . With clamp band lid fastener.
- . Pre-filter basket capacity 33Litres. Made from stainless steel.
- . The drain plug is located at the bottom of the body.
- . The connections 180° to the body and they are at floor level.
- . The inlet and outlet connection flanges comply with the DIN standards (DN80-3", DN100-4", DN110, DN125).
- . Maximum working pressure 1,5 Kg/cm²

Producto: **Prefiltro 33l.**

Product: **Prefilter 33l.**

CARACTERÍSTICAS / CHARACTERISTICS

Modelo de poliéster y fibra de vidrio de 33l de capacidad Model of polyester and FPR with 33l capacity						
Código <i>Code</i>	15644	15645	15646	15647	15648	15649
Cesta <i>Basket</i>	Inox stainless steel	Inox stainless steel	Inox stainless steel	Inox stainless steel	Inox stainless steel	Inox stainless steel
Conexión (Ø) <i>Connection (Ø)</i>	90	110	125	140	3"	4"
Caudal (m3/h) <i>Flow (m3/h)</i>	37	55	72	90	37	55
Peso Neto (kg) <i>Net weight (kg)</i>	25	25	25	25	25	25

EMBALAJE / PACKAGING

Modelo <i>Model</i>	Dimensiones <i>Box Dimension</i>	Volumen <i>Volume</i>
15644	0,57x0,49x0,65	0,180
15645	0,57x0,49x0,65	0,180
15646	0,57x0,49x0,65	0,180
15647	0,57x0,49x0,65	0,180
15648	0,57x0,49x0,65	0,180
15649	0,57x0,49x0,65	0,180

Producto: **Prefiltro 33l.**

 Product: **Prefilter 33l.**

En mm / in mm

Código	H	D	M	Ø	E
15644	635	475	353	90	500
15645	635	475	353	110	516
15646	635	475	353	125	532
15647	635	475	353	140	546
15648	635	475	353	3"	500
15649	635	475	353	4"	516

