

Producto: **Prefiltro 60l.**

Product: **Prefilter 60l.**



- . Construidos en poliéster y fibra de vidrio con tapa del mismo material.
- . Cierre de tipo zuncho con una junta tórica.
- . Cesto con capacidad de 60 lts. del acero inoxidable.
- . Tapón vaciado en la parte inferior del cuerpo
- . Bocas de conexión a 180° y al mismo nivel del suelo, la entrada y salida con bridas según norma DIN (DN150-6", DN 175, DN 200-8").
- . Presión máxima de trabajo 1,5 Kg/cm²

- . Body and lid are made from polyester and fibre glass.
- . With clamp band lid fastener.
- . Pre-filter basket capacity 60 Litres. Made from stainless steel.
- . The drain plug is located at the bottom of the body.
- . The connections 180° to the body and they are at floor level.
- . The inlet and outlet connection flanges comply with the DIN standards (DN150-6", DN 175, DN 200-8").
- . Maximum working pressure 1,5 Kg/cm²

Producto: **Prefiltro 60l.**

Product: **Prefilter 60l.**

CARACTERÍSTICAS / CHARACTERISTICS

Modelo de poliéster y fibra de vidrio de 33l de capacidad Model of poliester and FPR with 33l capacity					
Código <i>Code</i>	15650	15651	15652	15653	15654
Cesta <i>Basket</i>	Inox stainless steel	Inox stainless steel	Inox stainless steel	Inox stainless steel	Inox stainless steel
Conexión (Ø) <i>Connection (Ø)</i>	160	200	225	6"	8"
Caudal (m3/h) <i>Flow (m3/h)</i>	118	184	133	118	233
Peso Neto (kg) <i>Net weight (kg)</i>	37	37	37	37	37

EMBALAJE / PACKAGING

Modelo <i>Model</i>	Dimensiones <i>Box Dimension</i>	Volumen <i>Volume</i>
15650	0,87x0,52x0,79	0,357
15651	0,87x0,52x0,79	0,357
15652	0,87x0,52x0,79	0,357
15653	0,87x0,52x0,79	0,357
15654	0,87x0,52x0,79	0,357

Producto: **Prefiltro 60l.**

 Product: **Prefilter 60l.**
DIMENSIONES / DIMENSIONS

Código	H	D	M	Ø	E
15650	760	500	395	160	840
15651	760	500	395	200	840
15652	760	500	395	225	840
15653	760	500	395	6"	840
15654	760	500	395	8"	840

En mm / in mm

