


## Classic



- Construction of Spruce / White Pine wood vertical panels 70mm thick.
- Tongue and grove system for optimum sealing. Temperature resistance up to 150 ° Celsius
- Thermal insulated inside with mineral wool and moisture insulated with aluminium foil
- Floor frame made of impregnated solid wood moisture resistant.
- Floor grill made of Spruce
- Door: 8mm tempered glass bronze colour with wooden frame; handle square profile with locking mechanism
- Covered Benches with wall backrests, made of Abachi or similar type with low heat conductivity. Benches withstand the weight of 200 kg/m
- Headrest made of Abachi
- Sauna Led light behind bench backrest, 12V, white light
- Heater Power according to different sizes. Manual for installation and use. Heater protection grille.
- Control panel: Standard series
- Silicon wiring 400 V III + N- wire + Ground wire
- Sauna rocks
- Air ventilation ensuring a minimum of five air changes per hour
- Wooden accessories set bucket with ladle, combined thermohygrometer, sand timer

- Construction en panneaux verticaux en Sapin / Pin blanc de 70 mm d'épaisseur.
- Système de languette et rangées de bois pour une étanchéisation optimale. Résistance à la température jusqu'à 150° Celsius
- Isolation thermique intérieure avec de la laine minérale et isolation à l'humidité avec du papier aluminium.
- Cadre de base massif imprégné résistant à l'humidité.
- Trame en épicéa
- Porte : couleur bronze en verre trempé de 8 mm avec cadre en bois ; manier profil carré avec mécanisme de blocage
- Bancs recouverts avec dossier sur paroi, faits en Abachi ou type similaire à faible conductivité thermique. Les bancs supportent un poids de 200 kg/m
- Repose-têtes en Abachi
- Lumière LED de sauna derrière le dossier du banc, 12V, lumière blanche
- Puissance du caléfacteur selon différentes tailles. Manuel pour l'installation et l'utilisation. Grille de protection du caléfacteur
- Panneau de contrôle : série standard
- Câblage en silicium 400 V III + N-câble + Câble à la terre
- Sauna pierres
- Ventilation air-en garantissant un minimum de cinq changements d'air par heure
- Jeu d'accessoires en bois seau et louche, thermo-hygromètre combiné, temporisateur à sable

## Information plans / Plans d'information



Code Code	Description Description	Heating (kW) Chauffage (kW)
70431	Classic sauna 150 x 150 x 210 cm	4.5kW 230/400 3~
70432	Classic sauna 200 x 150 x 210 cm	6kW 230/400 3~
70433	Classic sauna 200 x 200 x 210 cm	6kW 230/400 3~
70455	Classic sauna 250 x 200 x 210 cm	8kW 230/400 3~
70434	Classic sauna 250 x 250 x 210 cm	9kW 230/400 3~
70436	Classic sauna 300 x 250 x 210 cm	10.5kW 230/400 3~
70437	Classic sauna 300 x 300 x 210 cm	13.5kW 230/400 3~
70438	Classic sauna 400 x 300 x 210 cm	16.5kW 230/400 3~