

Self Priming Pump with extremely low noise level performance while works efficiently



The **COLUSA** pump new hydraulic design moves water more efficiently and more quietly than any other pump of its category.


COLUSA is built to be quiet, durable and reliable. Motor materials are rustproof, stainless steel motor shaft and sealed bearings that never need lubrication. Its thermoplastic housing withstands extreme heat and resist corrosion.

- Available from 0,5Hp up to 3Hp in both single phase and three phase motors.
- **COLUSA** saves money, it moves the same required water but with less consumption that our previous pump.
- Quiet, the new hydraulic design assures extremely low noise level performance while works at typical conditions.
- Other options like 316SS shaft for salted water, 230V and 60Hz motors and Thai/Australian/British connections are available. For further information please contact with the factory.
- A pre-filter with a big strainer has been integrated into the body of the pump to prevent the entry of any foreign bodies which could cause damage to the hydraulic parts of the pump.
- Big strainer basket extends time between cleanings.
- See through lid makes inspection fast and easy.
- TUV GS Certified



MODEL	CODE	HP	H	Flow	Noise
			m.w.c.	m3/h	dB (*)
SINGLE PHASE	70574	1/2	8	10,4	57,3
	70575	3/4	10	12,7	58,6
	70576	1	10	16,4	58,2
	70578	1.5	10	21,3	62,6
	70580	2	12	23,0	62,9
	70582	3	14	27,0	66,3
THREE PHASE	70577	1	10	16,4	57,1
	70579	1.5	10	21,3	63,4
	70581	2	12	23,0	64,1
	70583	3	14	27,0	64,2


(*) Average measurements made on one pump of each code by an external laboratory



*We reserve the right to change all or part of the features of the articles or contents of this document, without prior notice.




Self Priming Pump with extremely low noise level performance while works efficiently



Dimensions

MODEL	CODE	HP	A	B	C	D	E	F	G	H	I	J	K
			(mm)										
SINGLE PHASE	70574	1/2	578	355	291	50	285	216	326	242	152	262	630
	70575	3/4	583	360	291	50	285	216	326	242	152	262	635
	70576	1	593	370	291	50	285	216	326	242	152	262	645
	70578	1.5	628	405	291	63	285	216	326	242	152	262	680
	70580	2	628	405	291	63	285	216	326	242	152	262	680
	70582	3	668	445	291	63	285	216	326	242	152	262	720
THREE PHASE	70577	1	583	360	291	50	285	216	326	242	152	262	635
	70579	1.5	618	395	291	63	285	216	326	242	152	262	670
	70581	2	638	415	291	63	285	216	326	242	152	262	690
	70583	3	638	415	291	63	285	216	326	242	152	262	720

Logistic Information



MODEL	CODES	HP	BOX SIZE (cm)			PALLET SIZE (*) (cm)			UNITS PALLET	20 FEET CONTAINER		40 FEET CONTAINER	
			a	b	c	a	b	c		UNITS	PALLETS	UNITS	PALLETS
SINGLE PHASE	51858	1/2	71	27,5	40,5	120	100	15	30	330	11	660	22
	51860	3/4	71	27,5	40,5	120	100	15	30	330	11	660	22
	51862	1	71	27,5	40,5	120	100	15	30	330	11	660	22
	51864	1.5	71	27,5	40,5	120	100	15	30	330	11	660	22
	51866	2	71	27,5	40,5	120	100	15	30	330	11	660	22
	51868	3	71	27,5	40,5	120	100	15	30	330	11	660	22
THREE PHASE	51863	1	71	27,5	40,5	120	100	15	30	330	11	660	22
	51865	1.5	71	27,5	40,5	120	100	15	30	330	11	660	22
	51867	2	71	27,5	40,5	120	100	15	30	330	11	660	22
	51869	3	71	27,5	40,5	120	100	15	30	330	11	660	22

(*) Pallet is an option and is not included in the price of the pump

•We reserve the right to change all or part of the features of the articles or contents of this document, without prior notice.