

Producto: **Prefiltro 60l.**

Product: **Prefilter 60l.**



- . Construidos en poliéster y fibra de vidrio con tapa del mismo material.
- . Cierre de tipo zuncho con una junta tórica.
- . Cesto con capacidad de 60 lts. del acero inoxidable.
- . Tapón vaciado en la parte inferior del cuerpo
- . Bocas de conexión a 180° y al mismo nivel del suelo, la entrada y salida con bridas según norma DIN (DN150-6", DN 175, DN 200-8").
- . Presión máxima de trabajo 1,5 Kg/cm²

- . Body and lid are made from polyester and fibre glass.
- . With clamp band lid fastener.
- . Pre-filter basket capacity 60 Litres. Made from stainless steel.
- . The drain plug is located at the bottom of the body.
- . The connections 180° to the body and they are at floor level.
- . The inlet and outlet connection flanges comply with the DIN standards (DN150-6", DN 175, DN 200-8").
- . Maximum working pressure 1,5 Kg/cm²

Producto: **Prefiltro 60l.**

Product: **Prefilter 60l.**

CARACTERÍSTICAS / CHARACTERISTICS

Modelo de poliéster y fibra de vidrio de 33l de capacidad Model of poliester and FPR with 33l capacity					
Código <i>Code</i>	10886	10887	10888	10929	10930
Cesta <i>Basket</i>	Inox stainless steel	Inox stainless steel	Inox stainless steel	Inox stainless steel	Inox stainless steel
Conexión (Ø) <i>Connection (Ø)</i>	160	200	225	6"	8"
Caudal (m3/h) <i>Flow (m3/h)</i>	118	184	133	118	233
Peso Neto (kg) <i>Net weight (kg)</i>	37	37	37	37	37

EMBALAJE / PACKAGING

Modelo <i>Model</i>	Dimensiones <i>Box Dimension</i>	Volumen <i>Volume</i>
10886	0,87x0,52x0,79	0,357
10887	0,87x0,52x0,79	0,357
10888	0,87x0,52x0,79	0,357
10929	0,87x0,52x0,79	0,357
10930	0,87x0,52x0,79	0,357

Producto: **Prefiltro 60l.**

 Product: **Prefilter 60l.**
DIMENSIONES / DIMENSIONS

En mm / in mm

Código	H	D	M	Ø	E
10886	760	500	395	160	840
10887	760	500	395	200	840
10888	760	500	395	220	840
10929	760	500	395	6"	840
10930	760	500	395	8"	840

